

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

See Your Discount

Ionization Detectors and Bases

DI-3	Ionization Detector	309.00
DI-B3	Ionization Detector (for use with Duct Housing)	357.00
DB-3S	Series 3 Low Profile Base (for DI-3)	22.00

Photoelectric Detectors and Bases

PE-11	Photoelectric Detector (with Self Test and Multi-Color LED)	Obsolete
-------	---	----------

Suggested Replacement for PE-11

OP121	Optical Detector	115.00
PE-11T	Photoelectric Thermal Detector	Obsolete

Suggested Replacement for PE-11T

OH121	Optical/Heat Detector Combo	135.00
DB-ADPT	PE-11 to DB-3 Base Adapter	43.00
DB-11	Detector Base (for PE-11 Detectors)	16.00

Air Duct Housings and Accessories

AD2-P	Photoelectric Housing (need PE-11) (Uses ST Tube)	Obsolete
-------	---	----------

Suggested Replacement for AD2-P

FDBZ492	Duct Housing (2 Wire)	241.00
AD2-PR	Photoelectric Housing w/ Relay (need PE-11)(Uses ST Tube)	Obsolete

Suggested Replacement for AD2-PR

FDBZ492-R	Duct Housing (2 Wire) W/Relay	241.00
ST-10	1 Ft Sampling Tube for AD2 Series	22.00
ST-25	2.5 Ft. Sampling Tube for AD2 Series	24.00
ST-50	5 Ft. Sampling Tube for AD2 Series	31.00
ST-100	10 Ft. Sampling Tube for AD2 Series	35.00
AD-3I	Ionization Air Duct Housing (need DI-B3)	393.00
DA-3SR	Relay Module - Conventional Duct Housing (Ion Only)	81.00
STA-3	3' Sampling Tube for Ducts 1'9" to 3'3"	39.00
STA-6	6' Sampling Tube for Ducts 3'3" to 6'3"	73.00
STA-10	10' Sampling Tube for Ducts 6'3" to 9'9"	94.00

Thermal Detectors

DT-11	Low Profile 135° Thermal Detector	Obsolete
-------	-----------------------------------	----------

Suggested Replacement for DT-11

HI121	Conventional Heat Detector	97.00
DT-135F	Fixed Temperature 135°	52.00
DT-135R	Rate of Rise Fixed Temperature 135°	52.00
DT-200F	Fixed Temperature 200°	52.00
DT-200R	Rate of Rise Fixed Temperature 200°	52.00

Audio/Visuals

NEW 08 Series

Old Number

ZR-MC-R	Multi-Candela Stand alone Strobe Red	(U-MCS)	98.00
HS-MC-R	Multi-Candela Horn/Strobe Red	(U-MHU-MCS)	151.00
MTH-MC-R	Multi-Candela 8-Tone Horn/Strobe	(U-MMT-MCS)	148.00

Effective Date 10/16

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

See Your Discount

System 3 Control Equipment

AE-30U	Alarm Extender Module	581.00
BC-35	Battery Charger Transfer Module	960.00
BE-35	Battery Extender Module	454.00
BI-35	Interface Module (for Temporal Code 3 Module)	950.00
BK-33	5/10 AH Battery Chassis and Bracket	611.00
BT-34	24V, 10.0 AH Battery Pack	892.00
CP-35	System 3 Control Module w/2 Zones	3,074.00
DC-35S	System 3 DC Regulator	2,211.00
PM-32	Program Matrix Module (36 Diodes)	598.00
PS-35	Power Supply, 24VDC-120VAC, 10 Amp	1,370.00
PS-35/220	Power Supply, 24VDC-220VAC, 10 Amp	3,525.00
RM-30U	Releasing Device Module	611.00
SM-30	Dual Switch Module	419.00
SR-30	Dual Supplementary Relay Module (SPDT 3 Amp)	576.00
SR-32	Multiple Supplementary Relay Module (DPDT 3 Amp)	1,154.00
SR-35	Supplementary Relay Module (SPDT 2 Amp)	890.00
TC-30U	Battery Transfer Module	2,403.00
TL-30U	Time Limit Module	1,267.00
ZN-31U	Dual Zone Contact Module	912.00
ZN-34US	Dual Zone Supervisory Module, Class A	850.00
ZU-35	Dual Zone Module	986.00
ZU-35DS	Dual Zone Module w/Disconnect Switch	1,349.00
ZU-35TS	Dual Zone Module w/Test Switch	1,430.00

Enclosures

EA-32	16Module Enclosure (Consists of backbox, door, & rail kit)	1,783.00
EB-32	Backbox	773.00
ED-32	Door	1,038.00
EK-32	Rail Kit	480.00
EA-33	24 Module Enclosure (Consists of backbox, door, & rail kit)	2,803.00
EB-33	Backbox	814.00
ED-33	Door	1,325.00
EK-33	Rail Kit	640.00
EA-35	40 Module Enclosure (Consist of backbox, door, & rail kit)	4,169.00
EB-35	Backbox	1,277.00
ED-35	Door	2,795.00
EK-35	Rail Kit	1,124.00

Effective Date 10/16

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

See Your Discount

Pull Stations

MS-151	Single Action Manual Pull Station N.O. SPST	113.00
MS-51	Single Action Manual Pull Station N.O. SPST	85.00
MS-501	Double Action Manual Pull Station SPST	121.00
SB-15	Surface Mounting Backbox for MS-151, MS-157, M	57.00
SB-5R	Surface Mounting Backbox for MS-51, 500, MSX-1, SE	39.00

Accessories

BP-30	Blank Faceplate Cover for System 3	45.00
JA-5	5" Harness Assembly for Modules	45.00
JA-24	24" Harness Assembly for Modules	72.00
JA-48	48" Harness Assembly for Modules	101.00
JA-96	96" Harness Assembly for Modules	123.00

Series 3 Accessories

RL-30	Incandescent Lamp, Round Plate	61.00
RL-40	Incandescent Lamp, Rectangular Plate	61.00
RR-3S	Remote Relay for Series 3 Accessories	153.00

Series 11 Accessories

RLC-11	Remote Alarm Lamp, Ceiling Mount	44.00
RLW-11	Remote Alarm Lamp, Wall Mount	44.00
RR-11	Remote Relay, for DB-11	44.00

SXL Control Panel

SXL-EX	Control Panel:	
EN-SX	SXL-EX Enclosure - (Black)	383.00
SXL-XCON	SXL-EX Board, Transformer and Hardware	1,025.00
SZE-4X	4 Zone Expander with Outputs	407.00

Effective Date 10/16

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

Detect-A-Fire

See Your Discount

27121-0-140	140° F Rate Compensated Heat Detector	225.00
27121-0-160	160° F Rate Compensated Heat Detector	225.00
27121-0-190	190° F Rate Compensated Heat Detector	225.00
27121-0-225	225° F Rate Compensated Heat Detector	225.00
27121-0-275	275° F Rate Compensated Heat Detector	234.00
27121-0-325	325° F Rate Compensated Heat Detector	234.00
27121-0-450	450° F Rate Compensated Heat Detector	243.00
27121-0-600	600° F Rate Compensated Heat Detector	255.00
27121-0-725	725° F Rate Compensated Heat Detector	255.00

Smoke Detectors and Bases

70-540000-001	CPD-7054 Advanced Ionization Detector Head	Obsolete
71-570000-001	PSD-7157 Photoelectric Detector Head	Obsolete
Replacement for CPD-7054 and PSD-7157		
711U	2-Wire Photoelectric Smoke Detector	67.00
700 Series Conventional Smoke Detectors:		
721UT	2-Wire Photo Detector w/ROR Heat Detector	81.00
741UT	4-Wire Photo Detector w/ROR Heat Detector	95.00
Bases for 700 Series Conventional Smoke Detectors:		
701U	Base for 711U Smoke Detectors 3 Terminal	15.00
702U	Base for 700 Series Smoke Detectors 6 Terminals	16.00

Duct Housings

70-600000-054	4 Wire DH-60-ACD w/CPD-7054D Duct Detector	Obsolete
70-600000-157	4 Wire DH-60-APD w/PSD-7157D Duct Detector	Obsolete
70-600000-254	2 Wire DH-60-2ACD w/CPD-7054D Duct Detector	Obsolete
70-600000-257	2 Wire DH-60-2APD w/PSD-7157D Duct Detector	Obsolete

Replacement for DH-60 Series Duct Housings:

SD-2W	2-Wire Conventional SuperDuct Photo Detector	244.00
ESD-4WJ	4-Wire Conventional SuperDuct Photo Detector	288.00

Sampling Tubes for SuperDuct Housings:

SD-T24	24 Inch Sampling Tube	25.00
SD-T42	42 Inch Sampling Tube	30.00
SD-T60	60 Inch Sampling Tube	30.00
SD-T120	120 Inch Sampling Tube	36.00

Effective Date 1/17

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

See Your Discount

Control Heads

870652	Lever Operated Control Head	238.00
878737	Pressure Operated Control Head	170.00
878750	Pressure Operated Control Head, Stackable	306.00
890181	Electric Control Head, 24VDC	1,056.00
897494	Electric and Cable Operated Control Head, 24VDC	1,475.00
979469	Cable Operated Control Head	819.00

Miscellaneous

242466	O Ring - Outer	8.00
242467	O Ring - Inner	8.00
251821	Flexible Hose, 3/4" Outlet	85.00
252184	Flexible Hose, 1/2" Outlet	85.00
486536	Pressure Switch, 3 Pole Double Throw	390.00
803808	Pulley, 3/8" Pipe (Watertight)	103.00
871403	Pull Box, Surface Mount, 3/8" Pipe (Breakglass)	358.00
872450	Discharge Head, Plain Nut	379.00
967082	Discharge Indicator, 3/4" NPT (Brass)	280.00

Effective Date 1/17

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

See Your Discount

Conventional Smoke Detectors and Bases

71033	Series 60 Photoelectric Smoke Detector	Obsolete
71034	Series 60 Ionization Smoke Detector	Obsolete

Series 60 upgraded to the new i3 Series:

*2W-B	i3 Series, Photoelectric, 2-Wire with base	66.25
*4W-B	i3 Series, Photoelectric, 4-Wire with base	68.50

Pull Stations and Accessories

M46-28	SPST Switch with Pigtails, Less Break Glass Rod	Obsolete
Suggested Replacement for M46-28:		
MS-7S	SPST Switch with Pigtails, Less Break Glass Rod	32.64

M46-29	DPDT Switch with Terminals, less Break Glass Rod	Obsolete
M4Suggested Replacement for M46-29:		
MS-7	DPDT Switch with Terminals, less Break Glass Rod	42.08

Flex Series Conventional Panels

F402	2 Zone FACP, 120 VAC, Red	505.00
F404	4 Zone FACP, 120 VAC, Red	636.50

*** Indicates In-Stock Item****Effective Date 04/17**

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

See Your Discount

Multitone Electronic Signals

*MT-12/24-R	12/24 VDC, Flush	37.86
MT4-115-R	115 VAC, Surface	49.70
AMT-12/24-R	12/24 VDC, Flush	83.95
AMT-24MCW-FR	Multi-Candela Horn/Strobe	141.94

Strobe Multitone Electronic Signals

MT4-115-WH-VFR	115 VAC, 15 Candela, Surface	94.08
MT-24MCW-FR	24 VDC, 15/75 Candela, Flush, Wall Mount, Sync/Non Sync	96.48
MT-121575W-NW	12 VDC, 15/75 Candela, Flush, Wall Mount, Sync/Non Sync	140.12
MT-121575W-FR	12 VDC, 15/75 Candela, Flush, Wall Mount, Sync/Non Sync	140.12
*MTWP-2475W-FR	24 VDC, 75 Candela, Weatherproof	111.40

NH Electronic Horns (Selectable Continuous Horn or Code 3.)

NH-12/24-R1	2/24 VDC, Flush (Horn Only), 2 Wire, Non Sync/Sync	Upgrade
-------------	--	---------

NS Horn Strobes 2 Wire- (Selectable Continuous Horn or Code 3.)

The following are being discontinued - upgrade to the new "Exceder" Series

NS-24MCW-FR	24 VDC Selectable 15/30/75/110 cd, 2 Wire	Upgrade
NS-24MCW-FW	24 VDC Selectable 15/30/75/110 cd, 2 Wire	Upgrade
NS-121575W-FR	12 VDC, 15/75 Cnd, 2 Wire, Non Sync/Sync, Wall Mount	Upgrade
NS-241575W-FR	24 VDC, 15/75 Cnd, 2 Wire, Non Sync/Sync, Wall Mount	Upgrade

ZNS Electronic Horn Strobe

The following are being discontinued - upgrade to the new "Exceder" Series

ZNS-MCW-FR	Selectable 15/30/75/110cd, 2 wire	Upgrade
ZNS-MCW-FW	24VDC Selectable 15/30/75/110cd, 2 wire	Upgrade

HS Horn Strobes 4 Wire- (Selectable Continuous Horn or Code 3.)

The following are being discontinued - upgrade to the new "Exceder" Series

HS4-24MCW-FR	24 VDC Selectable 15/30/75/110 cd, 4 Wire	99.84
HS4-24MCW-FW	24 VDC Selectable 15/30/75/110 cd, 4 Wire	99.84

Controllers for Synchronizing Audible Strobes and Combination Products

*DSM-12/24-R	2 Class B Circuits or 1 Class A Circuit	108.21
--------------	---	--------

* **Indicates In-Stock Item****Effective Date 01/17**

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

See Your Discount

Remote Strobes**Low Current - Non Synchronized/Synchronized - Wall Mount Only**

The following are discontinued - upgrade to the new "Exceder" Series

RSS-241575W-FR	24 VDC, 15/75 Candela	Obsolete
RSS-121575W-FR	12 VDC, 15/75 Candela	Obsolete

The following are discontinued - upgrade to the new "Exceder" Series

*RSS-24MCW-FR	24 VDC, Selectable 15/30/75/110 Candela	69.25
RSS-24MCW-FW	24 VDC, Selectable 15/30/75/110 Candela	69.25
RSS-24MCWH-FR	24 VDC, 135/185 Candela, Red	81.66

Low Current - Non Synchronized/Synchronized - Ceiling Mount Only

The following are discontinued - upgrade to the new "Exceder" Series

RSS-24MCCHR-FR	24 VDC, Selectable 115/177 Candela	Upgrade
RSSWP-2475W-FR	24 VDC, Outdoor Weatherproof	75.76

The following are discontinued - upgrade to the new "SNAP" Series (**Model # ZRS**)

RSS-24MCC-FR	24 VDC, Selectable 15/30/75/95 Candela, Red	69.25
RSS-24MCC-FW	24 VDC, Selectable 15/30/75/95 Candela, White	69.25

ZRS Strobe Appliances

The following are discontinued - upgrade to the new "Exceder" Series

ZRS-MCW-FR	24VDC, Selectable, 15/30/75/110 Candela, Red	Upgrade
ZRS-MCW-FW	24VDC, Selectable, 15/30/75/110 Candela, White	Upgrade
ZRS-MCWH-FR	24VDC, Selectable, 135/185 Candela, Red	Upgrade
ZRS-MCC-FR	24VDC, Selectable, 15/30/75/95 Candela, Red(Ceiling)	Upgrade
ZRS-MCC-FW	24VDC, Selectable, 15/30/75/95 Candela, White (Ceiling)	Upgrade

Remote Strobe Plates - Low Current - Non Synchronized/Synchronized - Wall Mount Only

RSSP-24MCW-FR	24 VDC, Selectable 15/30/75/110 Candela	82.35
RSSP-121575W-FR	12 VDC, 15/75 Candela	105.07
RSSP-24MCW-FR	24 VDC, 15/75 Candela	82.35

75 Candela - UL 1638 - Outdoor Only

*RSSWP-2475W-FR	24 VDC, Outdoor, 75 Candela, Red	75.76
-----------------	----------------------------------	-------

AS Audible Strobe Signals - (Continuous Horn or Code 3 - Non Sync/Sync)

The following are discontinued - upgrade to the new "Exceder" Series

AS121575W-FR	12 VDC, 15/75 Candela, Wall Mount	Upgrade
AS241575W-FR	24 VDC, 15/75 Candela, Wall Mount	Upgrade
AS-24MCC-FW	24 VDC Selectable 15/30/75/95 Candela, White	Upgrade
AS-24MCC-FR	24 VDC Selectable 15/30/75/95 Candela, Red	Upgrade
AS-24MCW-FR	24 VDC Selectable 15/30/75/110 cd, Wall Mount	Upgrade
AS-24MCW-FW	24 VDC Selectable 15/30/75/110 cd, Wall Mount	Upgrade
ASWP-2475W-FR	24 VDC, 75 Candela, Wall Mount, Weatherproof	Upgrade

* **Indicates In-Stock Item**

Effective Date 01/17

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

See Your Discount

Exceder Horns - Wall

*HSR	HN STR,RED,2W,Wall, 12/24,8CD	77.43
*HSW	HN STR, WHT, 2W, Wall, 12/24, 8CD	77.43
*STR	STR, Red, 2W, Wall, 12/24V, 8CD	58.07
*STW	STR, WHT, 2W, Wall, 12/24, 8CD	58.07
*HNR	Horn, Red, 2W, Wall, 12/24V	36.14
HNW	Horn, White, 2W, Wall, 12/24V	36.14

Exceder Horns - Ceiling

HSRC	HN STR, Red, 2W, Ceiling, 12/24V, 8CD	80.76
HSWC	HN STR, Wht, 2W, Ceiling, 12/24V, 8CD	80.76
*STRC	STR, Red, 2W, Ceiling, 12/24, 8CD	61.41
*STWC	STR, Wht, 2W, Ceiling, 12/24, 8CD	61.41
*HNRC	Horn, Red, 2W, Ceiling, 12/24V	35.14
*HNWC	Horn, White, 2W, Ceiling, 12/24V	35.14

Speakers

E70-R	Speaker Only, Square, Red (up to 2 watts)	37.53
E70-W	Speaker Only, Square, White (up to 2 watts)	37.53
E90-W	Speaker Only, Round, White (up to 2 watts)	37.53
ET70-R	Speaker Only, Square, Red (up to 8 watts)	51.74
ET70-W	Speaker Only Square, White (up to 8 watts)	51.74
ET90-W	Speaker Only, Round, White (up to 8 watts)	51.33
ET90-R	Speaker Only, Round, Red (up to 8 watts)	51.33
ET-1010-R	Speaker Only, Semi-flush Mount, Vandal Resistant	82.95
ET-1080-R	Speaker Only, Flush Mount, Vandal Resistant	65.89

Speakers with Strobes

E70-24MCW-FR	Wall Mount, Square, Red, 15/30/75/110 Candela Strobe	102.63
E70-24MCW-FW	Wall Mount, Square, White, 15/30/75/110 Candela Strobe	102.63
E90-24MCC-FW	Ceiling Mount, Round, White 15/30/75/95 Candela	102.63
E90-24MCCH-FW	Ceiling Mount, Round, White 115/177 Canela	114.62
ET70-24MCW-FR	Wall Mount, Square, Red, Selectable, 15/30/75/110 Candela	121.92
ET70WP-2475-W-FR	Weatherproof, 75 Candela, Sync/Non Sync	128.94
ET90-24MCC-FR	Round, Selectable, 15/30/75/95 Candela, Red	121.92
ET90-24MCC-FW	Round, Selectable, 15/30/75/95 Candela, White	121.92

* ***Indicates In-Stock Item*****Effective Date 01/17**

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

See Your Discount

Bells

43T-G6-24-R	24 VAC, Vibrating, 6" Shell	97.02
43T-G6-115-R	115 VAC, Vibrating, 6" Shell	97.02
43T-G10-24-R	24 VAC, Vibrating, 10" Shell	131.29
43T-G10-115-R	115 VAC, Vibrating, 10" Shell	131.29
MB-G6-12-R	12 VDC, Motor Bell, 6" Shell	61.04
*MB-G6-24-R	24 VDC, Motor Bell, 6" Shell	61.04
MB-G10-12-R	12 VDC, Motor Bell, 10" Shell	82.85
*MB-G10-24-R	24 VDC, Motor Bell, 10" Shell	82.85
CSX10-24-R	24 VDC, Single Stroke, Explosion Proof, 10" Shell, Indoor	1,466.97
CSX10-115-R	115 VAC, Single Stroke, Explosion Proof, 10" Shell, Indoor	1,466.97
CVX10-115-R	115 VAC, Vibrating, Explosion Proof, 10" Shell, Indoor	1,466.97
CSXG10-24-R	24 VDC, Single Stroke, Explosion Proof, 10" Shell, Outdoor	2,583.16
CSXG10-115-R	115 VAC, Single Stroke, Explosion Proof, 10" Shell, Outdoor	2,583.16
CVXG10-115-R	115 VAC, Vibrating, Explosion Proof, 10" Shell, Outdoor	2,583.16

Horns

31T-115-R	115 VAC, Semi-Flush, Electromechanical	79.92
AH-24WP-R	24 VDC, Full Sync Capability, Indoor/Outdoor, WP, Electronic	40.91
MIZ-24-S-R	24 VDC, Temporal/Continuous, Red (Selectable)	17.12
MIZ-24S-W	24 VDC, Temporal/Continuous, White (Selectable)	17.12

The following are being discontinued - upgrade to the new "Exceder" Series

AH-12-R	12 VDC, Full Sync Capability, Indoor/Outdoor, Electronic	Upgrade
AH-24-R	24 VDC, Full Sync Capability, Indoor/Outdoor, Electronic	Upgrade

Mounting Accessories

AP-R	Adapter Plate	13.04
BB-R	4" Backbox	8.69
DBB-R	4" Deep Backbox	10.42
*IOB-R	Surface Backbox (In/Out)	18.73
ISP2-R	Indoor Surface Extender, Red	7.69
RP-R	Retrofit Plate	10.43
*SBB-R	Surface Backbox	20.34
SBL2-R	Surface Backbox for RSP/RSSP	24.32
*SHBB-R	Surface Backbox for AS/RS/SR	14.78
*WBB-R	Outdoor Backbox	19.12
SHMP-R	Adapter Plate for STH-15SR Horn Speaker, Red	13.90
*WPSBB-R	Weatherproof Backbox for Series RSSWP	20.02
*WPBB-R	Weatherproof Backbox for Series ASWP	23.84

* ***Indicates In-Stock Item*****Effective Date 01/17**

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

See Your Discount

Fire•Lite**Smoke Detectors**

2W-B	i3 Series Photoelectric 2-wire	66.25
4W-B	i3 Series Photoelectric 4-wire	68.50
2151	Low Profile Photoelectric Smoke Detector	59.25
B110LP	2-Wire Conventional Base	16.75
B112LP	4-Wire Conventional Base	49.50

Heat Detectors - See Thermotech Data Sheet in Miscellaneous Tab

302-AW-194	194° Rate Anticipation, Weather-Proof Heat Detector	46.00
302-EPM-194	194° Rate Anticipation, Explosion-Proof Heat Detector	89.75
302-ET-194	194° Rate Anticipation, Weather-Proof Heat Detector with hexagonal wrench grip bushing with 1/2" conduit threads	45.50
AP-P	Adapter Plate for 302AW (White)	10.00

Duct Smoke Detectors - See System Sensor Data Sheet in Miscellaneous Tab

DH100LP	12 or 24 Volt 2-Wire Duct Housing with Photoelectric Duct Smoke Detector	Obsolete
---------	---	----------

Suggested Replacement for DH100LP

D2	2-Wire Duct Housing with Photoelectric Duct Smoke Detector	227.75
----	---	--------

DH100ACDCLP	24/120/220 VAC or 24 VDC 4-Wire Duct Housing with Photoelectric Duct Smoke Detector	Obsolete
-------------	--	----------

Suggested Replacement for DH100ACDCLP

D4120	4-Wire Duct Housing with Photoelectric Duct Smoke Detector	231.00
-------	--	--------

DST1	Metal Sampling Tube for 1' Duct	11.25
DST 1.5	Metal Sampling Tube for 1' to 2' Duct	13.75
DST3	Metal Sampling Tube for 2' to 4' Duct	18.75
DST5	Metal Sampling Tube for 4' to 8' Duct	20.75
DST10	Metal Sampling Tube for 8' to 10' Duct	42.25

Pull Stations

BG-12	Dual Action, Lexan Station, Red	37.25
BG-12LOB	Dual Action, Lexan Station, Weatherproof	149.25
BG-12LX	Addressable Manual Pull Station	126.00

Effective Date 04/17

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

See Your Discount

Notifier**Pull Stations and Backboxes**

NBG-12	Manual Station, Dual Action, SPST	37.25
NBG-12L	Manual Station, Dual Action, Lexan, Break Glass	42.00
NBG-12LOB	Manual Station, Lexan, Weatherproof, w/WP-10 Backbox	148.00
NBG-12LR	Releasing Pull Station, Dual Action, Lexan	58.75
SB-10	Surface Backbox, for NBG-10	15.30

Audio/Visuals

P2R	2 Wire Horn/Strobe 12/24 Volt, Red, Multi-Candela	76.00
P2RK	2 Wire Horn/Strobe 12/24 Volt, Red, Multi-Candela, Outdoor	104.50
P4R	4 Wire Horn/Strobe 12/24 Volt, Red, Multi-Candela	97.00
P4RK	4 Wire Horn/Strobe 12/24 Volt, Red, Multi-Candela, Outdoor	118.00

Honeywell Power Products

HPFF8	Fire Force 8 NAC Expander Power Supply	713.00
HPF24S6	6amp 24VDC Fire Alarm NAC Expander	571.00
HPF24S8	8amp 24VDC Fire Alarm NAC Expander	628.00
FCPS-24S6	6amp 120 VAC Remote Power Supply	555.90
FCPS-24S8	8amp 120 VAC Remote Power Supply	618.12

Effective Date 04/17

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
--------	-------------	------------

See Your Discount

2 Volt, 4 Volt, 6 Volt, and 8 Volt Batteries

PS-260	2 Volt	6.0	AmpHour	38.24
PS-445	4 Volt	4.5	AmpHour	23.86
PS-490	4 Volt	9.0	AmpHour	37.09
PS-4100	4 Volt	10.0	AmpHour	40.19
PS-605	6 Volt	.5	AmpHour	37.66
PS-610	6 Volt	1.0	AmpHour	21.79
PS-612	6 Volt	1.3	AmpHour	16.39
PS-628	6 Volt	2.8	AmpHour	24.73
PS-630	6 Volt	3.0	AmpHour	22.94
PS-632	6 Volt	3.2	AmpHour	39.39
PS-640F	6 Volt	4.5	AmpHour	13.74
PS-650L	6 Volt	5.0	AmpHour	33.06
PS-665	6 Volt	6.5	AmpHour	39.39
PS-670	6 Volt	7.0	AmpHour	23.86
PS-682F	6 Volt	8.0	AmpHour	37.38
*PS-6100-F1	6 Volt	10.0	AmpHour	35.36
*PS-6100-F2	6 Volt	10.0	AmpHour	35.36
PS-6120	6 Volt	12.0	AmpHour	46.58
PS-6200	6 Volt	20.0	AmpHour	82.74
PS-6360-F2	6 Volt	36.0	AmpHour	113.28
PS-6360-NB	6 Volt	36.0	AmpHour	113.28
PS-832	8 Volt	3.2	AmpHour	45.43

12 Volt Batteries

PS-1208	12 Volt	.8	AmpHour	40.54
PS-1212	12 Volt	1.4	AmpHour	27.54
PS-1220	12 Volt	2.5	AmpHour	34.21
PS-1223	12 Volt	2.3	AmpHour	59.23
PS-1228	12 Volt	2.8	AmpHour	45.43
PS-1229	12 Volt	2.9	AmpHour	56.93
PS-1230	12 Volt	3.4	AmpHour	40.54
PS-1250-F2	12 Volt	5.0	AmpHour	30.19
*PS-1270-F1	12 Volt	7.0	AmpHour	37.89
*PS-1270-F2	12 Volt	7.0	AmpHour	37.89
*PS-1282	12 Volt	9.0	AmpHour	86.54
*PS-12100-F1	12 Volt	12.0	AmpHour	86.54
*PS-12100-F2	12 Volt	12.0	AmpHour	86.54
PS-12120	12 Volt	12.0	AmpHour	60.38
PS-12180-F2	12 Volt	18.0	AmpHour	85.68
PS-12180-NB	12 Volt	18.0	AmpHour	85.68
PS-12260-F2	12 Volt	26.0	AmpHour	124.14
PS-12260-NB	12 Volt	26.0	AmpHour	124.14
PS-12280	12 Volt	28.0	AmpHour	154.68
PS-12350	12 Volt	35.0	AmpHour	125.06
PS-12400	12 Volt	40.0	AmpHour	168.76
PS-12550	12 Volt	55.0	AmpHour	225.40
PS-12750	12 Volt	75.0	AmpHour	293.25

* ***Indicates In-Stock Item*****Effective Date 04/17**

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

Your Cost**320 Series 120VAC Photoelectric Smoke Detectors (Single Station)**

320A	120VAC Smoke Detector w/Sounder & Tandem Connection	Call
*320ACC	120VAC Smoke Detector w/Sounder, Relay & Tandem Connection	Call
320ACX	120VAC Smoke Detector w/Sounder, Tandem Connection, and Tandem Relay	Call

429 Series Self-Diagnostic, 2-Wire, Photoelectric Smoke Detectors

429AT	6/12 VDC, Smoke Detector with 135° F/Rate-of-Rise Heat Detector	Call
429C	12/24 VDC, Smoke Detector	Call
429CRT	12/24 VDC, Smoke Detector with 135° F/Rate-of-Rise Heat Detector and Auxiliary Relay	Call
429CST	12/24 VDC, Smoke Detector with 135° F/Rate-of-Rise Heat Detector and 85 dB Sounder	Call
*429CT		Call

449 Series Self-Diagnostic, 4-Wire, Photoelectric Smoke Detectors

449AT	6/12 VDC, Smoke Detector with 135° F/Rate-of-Rise Heat Detector	Call
449CRT	12/24 VDC, Smoke Detector with 135° F/Rate-of-Rise & Aux Relay	Call
449CSRH	12/24 VDC, Smoke Detector with Aux Relay, Sounder & Isolated 135°	Call
449CSRT	12/24 VDC, Smoke Detector with 135° F/Rate-of-Rise Heat with Auxiliary Relay and 85dB Sounder, 4 Wire	Call
449CST	12/24 VDC, Smoke Detector w/135° Rate-of-Rise, & Sounder	Call
*449CSTE	Smoke Detector with 135° F/Rate-of-Rise Detector, Sounder & Relay	Call
449CT	12/24 VDC, Smoke Detector with 135° F/Rate-of-Rise	Call
449CTE	12/24 VDC, Smoke Detector with 135° F/Rate-of-Rise, EOL Relay	Call

700 Series Detectors and Bases

701U	6" Base with 3 Terminals (used with 711U, 712U, 713U)	12.67
*711U	Photoelectric Smoke Detector	57.01
711UT	Photo/Heat Detector with Fast Response Algorithms	Obsolete
Upgrade for 711UT		
721UT	Photo/Heat Detector	69.68

*** Indicates In-Stock Item****Effective Date 11/16**

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

See Your Discount

Edwards

Upgrade for EC30U-3: 711U	Photoelectric Smoke Detector	57.01
CSBU-1 Upgrade for CSBU-1: 701U	Standard Base	Obsolete
	Standard Base	12.67
270-SPO	Single Action Non-coded Pull Station	30.72
270-GLR	Break Glass Rods (20 pieces per box)	25.76

Edwards (Audio/Visual)

757-7A-T	15/75 cd Temporal Horn/Strobe, Red	116.86
757-7A-TW	15/75 cd Temporal Horn/Strobe, White	116.86
757-7A-SS 25W	15/75 cd Speaker/Strobe	133.27
G1-VM	Genesis Multi-cd Strobe, White	52.83
G1R-VM	Genesis Multi-cd Strobe, Red	52.83
G1-HDVM	Genesis Multi-cd Temporal Horn/Strobe, White	69.37
G1R-HDVM	Genesis Multi-cd Temporal Horn/Strobe, Red	69.37

Edwards (Conventional Controls)

Fire shield Plus Series	Conventional Fire Alarm Control Systems	Call
-------------------------	---	------

Effective Date 11/16

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

See Your Discount

FCI

MS-2	Manual Station, Double Action	CALL
MS-6	Manual Station, Single Action	CALL

Hochiki

SLR-24V	Low Profile Photoelectric Detector	39.00
NS Series Bases	Conventional Detector Base Series	CALL

Home Safeguard

25S	Test Gas	10.50
	Call for kit prices on extension poles	

Keller's, Inc

K-500	Power Conditioner Module	CALL
100-308	Hazardous/Weatherproof Manual Pull Station	CALL

Killark

XAL-53	Explosion Proof Manual Pull Station	CALL
--------	-------------------------------------	------

Protectowire

FS2000 Series	Commercial and Light Industrial	CALL
PHSC-190-XCR	190 Degree Linear Heat Detection	2.90

Pyrotronics (High Voltage Detectors)

F-3/5A	High Voltage Detector Head, Adjustable Sensitivity	CALL
LS	Locking Shell	CALL
DB-2W	Base, with Lamp	CALL

Safety Technology International (STI)

STI1100	Stopper II with Horn, Flush Mount	129.50
STI3150	Weather Stopper II, Surface Mount	116.25

Effective Date 04/17

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**

PART #	DESCRIPTION	LIST PRICE
---------------	--------------------	-------------------

See Your Discount

System Sensor

2W-B	i3 Series Photoelectric 2-wire	66.25
4W-B	i3 Series Photoelectric 4-wire	68.50
2151	Low Profile Photoelectric SmokeDetector	59.25
D2	2-Wire Duct Housing w/ Photoelectric Detector	227.75

DH100LP	12 or 24 Volt 2-Wire Duct Housing with Photoelectric Duct Smoke Detector	Obsolete
---------	--	----------

Suggested Replacement for DH100LP

D2	2-Wire Duct Housing with Photoelectric Duct Smoke Detector	227.25
----	--	--------

DH100ACDCLP	24/120/220 VAC or 24 VDC 4-Wire Duct Housing with Photoelectric Duct Smoke Detector	Obsolete
-------------	---	----------

Suggested Replacement for DH100ACDCLP

D4120	4-Wire Duct Housing with Photoelectric Duct Smoke Detector	231.00
-------	--	--------

DST1	Metal Sampling Tube for 1' Duct	11.25
DST 1.5	Metal Sampling Tube for 1' to 2' Duct	13.75
DST3	Metal Sampling Tube for 2' to 4' Duct	18.75
DST5	Metal Sampling Tube for 4' to 8' Duct	20.75
DST10	Metal Sampling Tube for 8' to 10' Duct	42.25

Thermotech, Inc.

302-AW-194	194° Rate Anticipation, Weather-Proof Heat Detector	46.00
302-EPM-194	194° Rate Anticipation, Explosion-Proof Heat Detector	89.75
302-ET-194	194° Rate Anticipation, Weather-Proof Heat Detector with hexagonal wrench grip bushing with 1/2" conduit threads	45.50
AP-P	Adapter Plate for 302AW (White)	10.00

Wire Products

FPL, FPLR, FPLP	Non-Plenum, Plenum, Riser	CALL
-----------------	---------------------------	------

Effective Date 04/17

Competitive Price Commitment - Keller's, Inc. is committed to providing our customers with the best pricing available. If you find the same product and quantity for a better price, please call us and ask about our **Price Matching Program!**